

WJR1525-2525

” : “
.
.02/ 4235879

34

Espec “e-SPEC” Honda,
“ ”

Honda.

Honda WJR1525/WJR2525.

Honda Motor Co., Ltd.

: WJR2525

██████████

Honda.

1.	3
2.	8
3.	9
4.	9
5.	14
6.	17
7.	17
8.	19
9.	24
10.	25
11.	26

1. _____

██████████ :

- Honda ,
- ,
- ,
- ,

██████████ :

- ,
- ,
- ,
- 5°C 40°C (41°F)
- 104°F).
- ,
- ,

•



∴



•

-
-

,

,

, ∴

,

,

•

,

.

•

,

•

,

,

•

,

.

,

,

•

,

,

•

,

.

•

.

,

.

•

,

/

.

•

,

,

,

[REDACTED]

-
-
-
-
-
-

[REDACTED]

-
-
-
-
-
-
-
-

3 (10)



2. _____

Honda

CE

: WJR2525

()

3. _____

()

(WJR2525)

()

4. _____

:

██████████ :

OFF,

- 1.
- 1.
- 2.

WJR1525:

WJR2525:

a

3.

•

2.

3.

,

:

,

.

4.

:

•

,

•

,

Honda 4-

SG, SF,

SG, SF.

SAE

:

2-

5°C 40°C (41°F)

104°F).

1.

2.

10

10

•

•

5.

86

-

).

91

-

(

/

[REDACTED]

•

•

•

•

6.

/CLOSED/.

(.36).

7.

0,5 – 2,5 (0,02 – 0,10

0,5 – 2,5

(0,02 – 0,10)

•

8.

9.

1.

2.

3.

•

•

4.

5.

1. WJR2525:

/

STARTING

“ ”

/

2.

CLOSED.

WJR1525:

WJR2525:

3.

OPEN,

OPEN

OPEN

OFF,

OPEN.

OFF.

OPEN.

FAST.

- 1.
- 2.
- 3.
- 4.
- 5.

3 5

. 23
OPEN.

1500 (5000),

Honda

3,5% 300 (1000)

, / . ,

6. _____

OFF.

1.

CLOSED.

WJR1525:	WJR2525:
----------	----------

2.

SLOW.

3.

OFF

7. _____

1. (.23)

2.

SLOW.

3.

4.

-
-

|

5. WJR2525:

()

“ ” ” ”

” ”

6.

	WJR1525: WJR2525:
--	--------------------------

:

-
-

:

1. (.27).

2.

3.

4.

FAST (.23) SLOW (.30).

5.

8. _____

██████████

OFF,

Honda,

Honda

(3)		1	3	6	2
		-	.	.	.
		10	25	50	100
					300
			(1)		
	()				

					(2)		
	-					(2)	
	-					(2)	
		300 . (2)					
		2 . (,)					
		(2)					
		2 . (,)					
		(2)					
	-						

(1) - , , .

(2) , , .

Honda

(3) , .

1. .

, , .

1. .

2. , .

3. (. 17) (

. 17).

4. , .

: 0.08 (0.08 US qt, 0.07 Imp qt)

2.

[REDACTED]

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.

CLOSED.

3.

: CMR4H

- 1.
- 5

5

2.

3.



4.

5.

0.60 - 0.70 (0.024 - 0.028)

0.60 - 0.70
(0.024 - 0.028)

6.

7.

1/2

1/8 - 1/4

8.

9.

5

:

•
•

4.

[Redacted]

1.
2.

3.
4.

5.

5.

[Redacted]

1.
2.

3.
4.

5.

6.

Honda

()

7.

-
-

WJR1525:

WJR2525:

9. _____ / _____

██████████ :

-
-

1. “ ” (.32).
2. ,
- a. .

b. WJR1525: ()

()

c. (.23).

d. SLOW (.30), FAST

e. (.27).

- f.
- 3.



b.

()

c.

d.

e.

- 4. (.35).
- 5. (.36)
- 6. 5 (.38).
- 7. (.37).
- 8.
- 9.
- 10.
- 11.
- 12. 5
- 13.
- 14.
- 15.

10.

- 1. ON ?
- 2. ?
- 3. ? ” ”
- 4. ?

:

1. (.30).

1.

2.

(.42)

Honda.

11. _____

	WJR1525
	WAKJ
	390 (15.4 in) 480 (18.9 in) 650 (25.6 in)
	9.4 (20.7 lbs)
	25

Max. (7,000 /)	1.5 Mpa
(7,000 /)	5.2 /min

	GX25T
	4- , , 1
	25 c ³ (1.5 cu-in)
x	35 x 26 (1.4 x 1.0 in)
Max.	0.81 kW (1.1 PS) /7,000 /
Max.	1.25 N·m (0.13 -m, 0.94 fl-lb)/5,000 /
	NGK: CMR4H
	0.55

	ET
(LpA) 98/37/E (7,500 /)	86.0 dB
(LWA) 2000/14/E (7,500 /)	101 dB

:

	WJR2525
	WAMJ
	390 (15.4 in) 480 (18.9 in) 650 (25.6 in)
	9.2 (20.3 lbs)
	25

Max. (6,300 /)	2.5 Mpa
(6,300 /)	7.1 l/min

	GX25T
	4- , , 1
	25 c ³ (1.5 cu-in)
x	35 x 26 (1.4 x 1.0 in)
Max.	0.81 kW (1.1 PS) /7,000 /
Max.	1.25 N·m (0.13 -m, 0.94 fl-lb)/5,000 /

	NGK: CMR4H
	0.55

	ET
98/37/E (7,500 /) (LpA)	86.2 dB
2000/14/E (9,000 /) (LWA)	104 dB

:

.